

CERTIFICATE OF COMPLIANCE

Certificate Number 20130607-R14546
Report Reference R14546-20130607
Issue Date 2013-June-07

Issued to: RECTORSEAL
2601 SPENWICK DR
HOUSTON, TX 77055 USA

This is to certify that
representative samples of Fill, Void or Cavity Materials
See Addendum Page

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: ANSI/UL 1479, "Fire Tests of Through-Penetration
Firestops,"
ANSI/UL 2079, "Tests for Fire Resistance of Building Joint
Systems,"
ANSI/ASTM E2307, "Standard Test Method for Determining
Fire Resistance of Perimeter Fire Barriers Using
Intermediate-Scale, Multi-story Test Apparatus."

Additional Information: See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Classification Mark should be considered as being covered by
UL's Classification and Follow-Up Service.

The UL Classification Mark includes: UL in a circle: with the word "CLASSIFIED"  (as shown); a control
number (may be alphanumeric) assigned by UL; a statement to indicate the extent of UL's evaluation of
the product; and the product category name (product identity) as indicated in the appropriate UL Directory.

Look for the UL Classification Mark on the product.



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at www.ul.com/contactus



CERTIFICATE OF COMPLIANCE

Certificate Number 20130607-R14546
Report Reference R14546-20130607
Issue Date 2013-June-07

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Metacaulk 1200 Spray for use in Perimeter Fire Containment System Nos. CW-D-1016, CW-D-2014, CW-D-2016, CW-D-2018, CW-D-2047, CW-D-2049, CW-D-2051, CW-S-2015, CW-S-2017, CW-S-2019.

Metacaulk 1500 Spray for use in Perimeter Fire Containment System No. CW-D-1016.

Metacaulk 1200 Caulk Grade for use in Perimeter Fire Containment System Nos. BW-S-0014, CW-D-2014, CW-D-2016, CW-D-2018, CW-D-2047, CW-D-2049, CW-D-2051, CW-S-2015, CW-S-2017, CW-S-2019.

Metacaulk 1200 SL for use in Perimeter Fire Containment System Nos. CW-D-2014, CW-D-2016, CW-D-2018, CW-D-2047, CW-D-2049, CW-D-2051, CW-S-2015, CW-S-2017, CW-S-2019.

Metacaulk Joint Strip for use in Joint System Nos. FF-D-0053, FF-D-0083, FF-D-0084, FF-D-1053, HW-D-0607, HW-D-0651, WW-D-0054, WW-S-0037, WW-D-0056, WW-D-0102 and WW-D-0110.

Metacaulk 835+ Caulk for use in Joint System Nos. BW-S-0014, FF-D-0083, FF-D-0084, FF-S-1021, FF-S-1025, FW-S-1008, FW-S-1012, HW-S-0023, HW-S-0025, HW-D-0060, HW-D-0061, HW-D-0118, HW-D-0119, HW-D-0120, HW-D-0651, HW-D-1011, HW-D-1012, HW-D-1020, WW-D-0101, WW-D-0102, WW-D-0110 and WW-S-1025.

Metacaulk 950 Caulk for use in Joint System No. HW-D-0597.

Metacaulk 1000 Caulk for use in Joint System Nos. BW-S-0014, FF-D-0083, FF-D-0084, HW-D-0014, HW-D-0056, HW-D-0060, HW-D-0061, HW-D-0118, HW-D-0119, HW-D-0120, HW-D-0179, HW-D-0533, HW-D-0534, HW-D-0535, HW-D-0651, HW-D-1011, HW-D-1012, HW-D-1020, WW-D-0102, WW-D-0110, WW-D-0115.

Metacaulk 1000 Caulk for use in Continuity Head of Wall Joint System Nos. CJ-D-0012, CJ-D-0013, CJ-D-0014.

Metacaulk 1100 Caulk for use in Joint System No. BW-S-0014, HW-D-0018, HW-D-0093, HW-D-0095, HW-D-0113, HW-D-0115, HW-D-0118, HW-D-0125, HW-D-0179, HW-D-1020, WW-D-0115.



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



CERTIFICATE OF COMPLIANCE

Certificate Number 20130607-R14546
Report Reference R14546-20130607
Issue Date 2013-June-07

Metacaulk 1200 Spray for use in Joint System Nos. FF-D-0018, FW-D-0013, FW-D-1022, HW-D-0032, HW-D-0058, HW-D-0104, HW-D-0118, HW-D-0127, HW-D-0129, HW-D-0166, HW-D-0187, HW-D-0199, HW-D-0221, HW-D-0380, HW-D-0443, HW-D-0444, HW-D-0524, HW-D-0577, HW-D-0579, HW-D-0580, HW-D-0583, HW-D-0584, HW-D-0597, HW-D-0620, HW-D-0621, HW-D-0622, HW-D-0623, HW-D-0652, HW-D-0653, HW-D-1020, HW-D-1022, WW-D-0023, WW-D-0025, WW-D-0108.

Metacaulk 1500 Spray for use in Joint System Nos. FF-D-0022, FF-D-0029, FF-D-1024, FW-D-0017, FW-D-0024, FW-D-1020, HW-D-0107, HW-D-0108, HW-D-0109, HW-D-0110, HW-D-0118, HW-D-0217, HW-D-0220, HW-D-0235, HW-D-0267, HW-D-0284, HW-D-0299, HW-D-0300, HW-D-0327, HW-D-0328, HW-D-0331, HW-D-0390, HW-D-0391, HW-D-0518, HW-D-0536, HW-D-0524, HW-D-0551, HW-D-0553, HW-D-0577, HW-D-0579, HW-D-0580, HW-D-0583, HW-D-0584, HW-D-0620, HW-D-0621, HW-D-0622, HW-D-0623, HW-D-0652, HW-D-0653, HW-D-1011, HW-D-1012, HW-D-1020, HW-D-1021, HW-S-0080, WW-D-0101, WW-D-0108, WW-D-1028.

Metacaulk 1200 Caulk Grade for use in Joint System Nos. BW-S-0014, FF-D-0083, FF-D-0084, FF-D-0018, FW-D-0013, FW-D-1022, HW-D-0032, HW-D-0058, HW-D-0104, HW-D-0118, HW-D-0127, HW-D-0129, HW-D-0166, HW-D-0187, HW-D-0197, HW-D-0199, HW-D-0202, HW-D-0221, HW-D-0297, HW-D-0380, HW-D-0443, HW-D-0444, HW-D-0518, HW-D-0524, HW-D-0551, HW-D-0553, HW-D-0577, HW-D-0579, HW-D-0580, HW-D-0583, HW-D-0584, HW-D-0597, HW-D-0620, HW-D-0621, HW-D-0622, HW-D-0623, HW-D-0651, HW-D-0652, HW-D-0653, HW-D-1020, HW-D-1022, WW-D-0023, WW-D-0025, WW-D-0101, WW-D-0102, WW-D-0110, WW-D-0116.

Metacaulk 1200 SL for use in Joint System Nos. FF-D-0018, FW-D-0013 and FW-D-1022.

Metacaulk 350i for use in Joint System Nos. BW-S-0014, FF-D-0083, FF-D-0084, HW-D-0651, WW-D-0102, WW-D-0110.

Metacaulk MC 150+ Caulk for use in Joint System Nos. BW-S-0014, FF-D-0083, FF-D-0084, HW-D-0197, HW-D-0202, HW-D-0215, HW-D-0297, HW-D-0533, HW-D-0534, HW-D-0535, HW-D-0651, WW-D-0028, WW-D-0101, WW-D-0102, WW-D-0108, WW-D-0110, WW-D-0116.

Metacaulk MC 150+ Caulk for use in Continuity Head of Wall Joint System Nos. CJ-D-0012, CJ-D-0013, CJ-D-0014.



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



CERTIFICATE OF COMPLIANCE

Certificate Number 20130607-R14546
Report Reference R14546-20130607
Issue Date 2013-June-07

Metacaulk 835+ Caulk for use in Through-Penetration Firestop System Nos. C-AJ-0057, C-AJ-1035, C-AJ-1037, C-AJ-1059, C-AJ-1115, C-AJ-1247, C-AJ-1248, C-AJ-1250, C-AJ-2650, C-AJ-3126, C-AJ-3127, C-AJ-4040, C-AJ-5109, C-AJ-5110, C-AJ-6031, C-AJ-7028, C-AJ-7095 C-AJ-7098, C-AJ-8047, C-AJ-8067, F-A-0016, F-A-0017, F-A-0018, F-A-0022, F-A-1073, F-A-1074, F-A-1080, F-A-2146, F-A-2147, F-A-2148, F-A-2161, F-A-2163, F-A-5035, F-A-8033, F-B-1027, F-B-1028, F-C-7036, F-C-7037, F-C-7055, W-J-1007, W-J-1018, W-J-3013, W-J-3014, W-L-0008, W-L-1013, W-L-1034, W-L-1122, W-L-1132, W-L-1442, W-L-1443, W-L-1444, W-L-2134, W-L-3028, W-L-3029, W-L-3096, W-L-3097, W-L-3104, W-L-3127 W-L-4058, W-L-5077, W-L-6015, W-L-7012, W-L-8016, W-N-1001, W-N-2001, W-N-5001, W-N-5002, W-N-5003.

Metacaulk 950 Caulk for use in Through-Penetration Firestop System Nos. C-AJ-1035, C-AJ-1036, C-AJ-1038, C-AJ-1039, C-AJ-1051, C-AJ-1076, C-AJ-1114, C-AJ-1186, C-AJ-2015, C-AJ-3026, C-AJ-3027, C-AJ-5011, C-AJ-5084, C-AJ-8010, W-J-1007, W-J-1013, W-J-1019, W-J-2005, W-J-8001, W-L-1013, W-L-1024, W-L-1025, W-L-1026, W-L-1035, W-L-1040, W-L-1074, W-L-1075, W-L-2014, W-L-3013, W-L-3014, W-L-5056, W-L-7160, W-L-8001, W-N-1001, W-N-2001, W-N-5001, W-N-5002, W-N-5003.

Metacaulk 1100 Caulk for use in Through-Penetration Firestop System Nos. W-J-1083, W-L-1183, W-L-2556, W-L-2563, W-N-1001, W-N-2001, W-N-5001, W-N-5002, W-N-5003.

Metacaulk 1200 Spray for use in Through-Penetration Firestop System Nos. C-AJ-1480, C-AJ-5252, C-AJ-7088, C-AJ-8129, C-BJ-4030, W-J-7026, W-L-4041, W-L-7047.

Metacaulk 1200 Caulk Grade for use in Through-Penetration Firestop System Nos. C-AJ-1480, C-AJ-2151, C-AJ-2153, C-AJ-2155, C-AJ-2180, C-AJ-2269, C-AJ-2344, C-AJ-2390, C-AJ-2427, C-AJ-2646, C-AJ-2650, W-L-2563, C-AJ-5252, C-AJ-7088, C-AJ-8129, C-BJ-4030, F-A-0016, F-A-0018, F-A-0022, F-A-1073, F-A-1074, F-A-1080, F-A-2146, F-A-2148, F-A-2161, F-A-5035, F-C-7040, W-J-2220, W-J-2222, W-J-2224, W-J-7026, W-L-2524, W-L-2526, W-L-2528, W-L-4041, W-L-7047, W-N-1001, W-N-2001, W-N-5001, W-N-5002, W-N-5003.

Metacaulk 1200 SL for use in Through-Penetration Firestop System Nos. C-AJ-1480, C-AJ-5252, C-AJ-7088, C-BJ-4030, F-A-0016, F-A-0018, F-A-0022.

Metacaulk 1500 Spray for use in Through-Penetration Firestop System Nos. C-AJ-1236, C-AJ-1426, W-J-7044, W-L-7080.

Metacaulk Fire Rated Mortar for use in Through-Penetration Firestop System Nos. C-AJ-0042, C-AJ-0068, C-AJ-2269, F-A-2043, F-A-2044, C-AJ-7029, C-AJ-8043, C-AJ-8108, C-AJ-8133, F-A-2043, W-L-1128, W-L-1129, W-L-1132.



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



CERTIFICATE OF COMPLIANCE

Certificate Number 20130607-R14546
Report Reference R14546-20130607
Issue Date 2013-June-07

Metacaulk 1000 Caulk for use in Through-Penetration Firestop System Nos. C-AJ-0132, C-AJ-1221, C-AJ-1261, C-AJ-1263, C-AJ-1296, C-AJ-1320, C-AJ-1327, C-AJ-1329, C-AJ-1367, C-AJ-1587, C-AJ-1601, C-AJ-1603, C-AJ-2112, C-AJ-2113, C-AJ-2119, C-AJ-2120, C-AJ-2122, C-AJ-2134, C-AJ-2155, C-AJ-2178, C-AJ-2182, C-AJ-2245, C-AJ-2247, C-AJ-2265, C-AJ-2307, C-AJ-2309, C-AJ-2333, C-AJ-2346, C-AJ-2348, C-AJ-2373, C-AJ-2390, C-AJ-2425, C-AJ-2427, C-AJ-2452, C-AJ-2484, C-AJ-2486, C-AJ-2498, C-AJ-2516, C-AJ-2597, C-AJ-2628, C-AJ-2646, C-AJ-2649, C-AJ-2650, C-AJ-2652, C-AJ-2661, C-AJ-3086, C-AJ-3087, C-AJ-3304, C-AJ-3306, C-AJ-3308, C-AJ-4047, C-AJ-4049, C-AJ-4062, C-AJ-5070, C-AJ-5077, C-AJ-5078, C-AJ-5085, C-AJ-5134, C-AJ-5136, C-AJ-5159, C-AJ-5161, C-AJ-5224, C-AJ-5278, C-AJ-5284, C-AJ-6025, C-AJ-8047, C-AJ-8050, C-AJ-8121, C-AJ-8138, C-AJ-8153, C-AJ-8149, C-AJ-8151, C-AJ-8159, C-AJ-8201, F-A-1043, F-A-1048, F-A-2043, F-A-2049, F-A-2051, F-A-2090, F-A-2113, F-A-2170 F-A-2171, F-A-2217, F-A-2223, F-C-1037, F-C-1061, F-C-1089, F-C-1155, F-C-2077, F-C-2130, F-C-2192, F-C-2302, F-C-2367, F-C-2398, F-C-2400, F-C-2407, F-C-2408, F-C-2409, F-C-2410, F-C-2411, F-C-2413, F-C-7040, F-C-8015, F-C-8030, W-J-1036, W-J-1038, W-J-1043, W-J-1045, W-J-1059, W-J-1061, W-J-1079, W-J-1081, W-J-1145, W-J-1172, W-J-1176, W-J-2013, W-J-2025, W-J-2039, W-J-2063, W-J-2065, W-J-2073, W-J-2081, W-J-2122, W-J-2144, W-J-2162, W-J-2169, W-J-2180, W-J-2220, W-J-2222, W-J-2224, W-J-2239, W-J-2240, W-J-3026, W-J-3056, W-J-3058, W-J-3070, W-J-3113, W-J-5016, W-J-5018, W-J-5020, W-J-5029, W-J-5033, W-J-5039, W-J-5059, W-J-5064, W-J-5068, W-J-5101, W-J-5103, W-J-5123, W-J-6005, W-J-7014, W-J-7016, W-J-7042, W-J-7054, W-J-7071, W-J-7096, W-J-7116, W-J-8032, W-L-1099, W-L-1102, W-L-1104, W-L-1106, W-L-1108, W-L-1114, W-L-1116, W-L-1118, W-L-1120, W-L-1159, W-L-1161, W-L-1177, W-L-1179, W-L-1181, W-L-1199, W-L-1325, W-L-1372, W-L-1456, W-L-2021, W-L-2104, W-L-2132, W-L-2135, W-L-2190, W-L-2192, W-L-2199, W-L-2201, W-L-2209, W-L-2238, W-L-2267, W-L-2342, W-L-2346, W-L-2348, W-L-2375, W-L-2402, W-L-2413, W-L-2524, W-L-2526, W-L-2528, W-L-2544, W-L-2556, W-L-2560, W-L-2563, W-L-2569, W-L-3092, W-L-3094, W-L-3152, W-L-3155, W-L-3180, W-L-3235, W-L-3354, W-L-4031, W-L-4072, W-L-5057, W-L-5059, W-L-5061, W-L-5075, W-L-5084, W-L-5092, W-L-5205, W-L-5207, W-L-5127, W-L-5145, W-L-5148, W-L-5237, W-L-6008, W-L-6010, W-L-7034, W-L-7036, W-L-7076, W-L-7093, W-L-7122, W-L-7170, W-L-7199, W-L-7203, W-L-7208, W-L-8042, W-L-8062, W-N-1001, W-N-1002, W-N-2001, W-N-5001, W-N-5002, W-N-5003, W-N-5004, W-N-5005, W-N-7001, W-L-8089.

Metacaulk Fire Rated Putty for use in Through-Penetration Firestop System Nos. C-AJ-0132, C-AJ-0045, C-AJ-0088, C-AJ-1200, C-AJ-1206, C-AJ-1603, C-AJ-2628, C-AJ-2661, C-AJ-3100, C-AJ-3101, C-AJ-3304, C-AJ-3306, C-AJ-3308, C-AJ-4062, C-AJ-8121, C-AJ-8133, C-AJ-8173, C-AJ-8201, F-A-2217, W-J-3026, W-J-4051, W-L-0026, W-L-1132, W-L-1456, W-L-2569, W-L-3092, W-L-3094, W-L-3354, W-L-4054, W-L-7203, W-L-8089.

Metacaulk Bixi Stix for use in Through-Penetration Firestop System No. F-B-3009, W-J-4051, W-L-4054.



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



CERTIFICATE OF COMPLIANCE

Certificate Number 20130607-R14546
Report Reference R14546-20130607
Issue Date 2013-June-07

Metacaulk Wrap Strip for use in Through-Penetration Firestop System Nos. C-AJ-2157, C-AJ-2178, C-AJ-2182, C-AJ-2265, C-AJ-2333, C-AJ-2344, C-AJ-2346, C-AJ-2425, C-AJ-0088, C-AJ-4062, C-AJ-2390, C-AJ-2498, C-AJ-2516, C-AJ-2597, C-AJ-2646, C-AJ-2649, C-AJ-2650, C-AJ-2652, C-AJ-8133, C-AJ-8149, C-AJ-8151, C-AJ-8153, C-AJ-8159, C-AJ-8171, F-A-2049, F-A-2051, F-A-2090, F-A-2170, F-C-2077, F-C-2302, F-C-2367, F-C-2409, F-C-2410, W-J-2023, W-J-2027, W-J-2035, W-J-2075, W-J-2092, W-J-2094, W-J-2144, W-J-2220, W-J-2222, W-J-2180, W-J-2239, W-J-2240, W-J-4017, W-J-5022, W-J-5025, W-J-5123, W-J-8001, W-J-8032, W-L-1442, W-L-1443, W-L-1444, W-L-2102, W-L-2106, W-L-2121, W-L-2199, W-L-2207, W-L-2240, W-L-2274, W-L-2276, W-L-2346, W-L-2348, W-L-2375, W-L-2524, W-L-2526, W-L-2544, W-L-2556, W-L-2560, W-L-2563, W-L-4021, W-L-4023, W-L-5063, W-L-5068, W-L-5237, W-L-7203, W-L-8001, W-L-8062, W-N-2001, W-N-5001, W-N-5002, W-N-5004.

Metacaulk Pillows for use in Through-Penetration Firestop System Nos. C-AJ-0052, C-AJ-1367, C-AJ-3122, C-AJ-4047, C-AJ-4049, C-AJ-8171, W-J-0004, W-J-4017, W-L-0004, W-L-0006, W-L-4021, W-L-4023, W-L-4031, W-L-4072.


Metacaulk MC-150 Caulk for use in Through-Penetration Firestop System Nos. C-AJ-1270, C-AJ-1272, C-AJ-3134, F-C-7040, W-J-1056, W-L-1138, W-L-1140, W-L-1142, W-L-1144, W-L-3108, W-N-1001, W-N-2001, W-N-5001, W-N-5002, W-N-5003.

Metacaulk MC-150 Caulk also Classified in accordance with ASTM E 136-96a "Standard Test Method for the behavior of materials in Vertical Tube Furnace at 750 degrees C."

Metacaulk MC 150+ Caulk for use in Through-Penetration Firestop System Nos. C-AJ-0110, C-AJ-1409, C-AJ-2348, C-AJ-2646, C-AJ-2650, C-AJ-2661, C-AJ-3194, C-AJ-7088, C-AJ-8129, C-AJ-8138, C-AJ-8149, C-AJ-8151, C-AJ-8153, C-AJ-8155, C-AJ-8159, C-AJ-8204, F-A-0016, F-A-0018, F-A-0022, F-A-1048, F-A-2113, F-C-1089, F-C-2212, F-C-3063, F-C-3068, F-C-5078, F-C-7040, F-C-7047, F-C-8007, W-J-1109, W-J-1145, W-J-1170, W-J-2088, W-J-2142, W-J-2171, W-J-2188, W-J-2220, W-J-2222, W-J-2224, W-J-3072, W-J-3079, W-J-3113, W-J-5114, W-J-5116, W-J-7026, W-J-7116, W-J-8030, W-L-1253, W-L-1325, W-L-1362, W-L-1454, W-L-2262, W-L-2373, W-L-2415, W-L-2437, W-L-2524, W-L-2526, W-L-2528, W-L-2556, W-L-2563, W-L-3188, W-L-3235, W-L-5226, W-L-5228, W-L-7047, W-L-7122, W-L-7162, W-L-7199, W-L-7208, W-L-8060, W-N-1001, W-N-2001, W-N-5001, W-N-5002, W-N-5003.

Metacaulk Composite Sheet for use in Through-Penetration Firestop System Nos. C-AJ-0088, C-AJ-4062, C-AJ-8121, F-B-1027, F-B-1028, W-J-8032, W-L-8062.

Metacaulk Joint Strip for use in Through-Penetration Firestop System Nos. C-AJ-0088, C-AJ-4062, C-AJ-8121, F-C-2408, F-C-2400, W-J-7071, W-L-7122.



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



CERTIFICATE OF COMPLIANCE

Certificate Number 20130607-R14546
Report Reference R14546-20130607
Issue Date 2013-June-07

Metacaulk 350i for use in Through-Penetration Firestop System Nos. C-AJ-1541, C-AJ-1542, C-AJ-1543, C-AJ-1544, C-AJ-2348, C-AJ-2550, C-AJ-2551, C-AJ-2552, C-AJ-2553, C-AJ-2554, C-AJ-2555, C-AJ-2556, C-AJ-2646, C-AJ-2650, C-AJ-3256, C-AJ-5296, C-AJ-5297, C-AJ-7112, C-AJ-8175, F-A-1070, F-C-1139, F-C-2326, F-C-2329, F-C-8039, W-J-1194, W-J-1195, W-J-1196, W-J-2195, W-J-2196, W-J-2197, W-J-2198, W-J-5128, W-J-5129, W-J-5130, W-J-7079, W-J-7082, W-J-7116, W-L-1393, W-L-1394, W-L-1395, W-L-1396, W-L-2455, W-L-2456, W-L-2457, W-L-2458, W-L-2556, W-L-2563, W-L-3294, W-L-5249, W-L-5250, W-L-5251, W-L-5252, W-L-7137, W-L-7138, W-L-7199.



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus

