

Printing date 05/25/2023

Version Number 1.1

Reviewed on 05/25/2023

Page 1/9

1 Identification

Product identifier

Trade name: Monokote Z-146PC

SDS ID Number: 2692

Relevant identified uses of the substance or mixture, and uses advised against: Specialty construction product. Not intended for other uses.

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GCP Applied Technologies 2325 Lakeview Pkwy Alpharetta GA 30009 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

www.gcpat.com

Information department:

Environmental Health & Safety USA: +1-617-876-1400 (24 hours) +1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com

CAN: +1-905-683-8561 (24 hours)

Emergency telephone number:

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. Route of exposure: Inhalation. May cause respiratory irritation.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

Hazard pictograms



Danger Hazard statements Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. Route of exposure: Inhalation.

Version Number 1.1

Reviewed on 05/25/2023

Trade name: Monokote Z-146PC

(Cont. from page 1) May cause respiratory irritation. **Precautionary statements** Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national/international regulations. Additional information: Avoid breathing dust. Hazard description: Danger NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 0HMIS-ratings (scale 0 - 4)

HEALTH *3 Health = *30 FIRE Flammability = 0Reactivity = 0REACTIVITY 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixture

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardous components:

65997-15-1 Portland cement

14808-60-7 Quartz (SiO2)

13780-06-8 Calcium nitrite

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

4 First-aid measures

Description of first aid measures

General information: Get medical advice/attention if you feel unwell.

After inhalation:

If breathing has stopped, give artificial respiration then oxygen if needed.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin. (Cont. on page 3)

USGHS

30-<40%

1-<3%

0.1-<1%

Page 2/9

Version Number 1.1

Trade name: Monokote Z-146PC

Seek immediate medical advice.

After eye contact:

Rinse cautiously with water for several minutes. Seek immediate medical advice.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Information for doctor:

Most important symptoms and effects, both acute and delayed Allergic reactions

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: The product will not burn.

Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.

Advice for firefighters

Protective equipment: Wear personal protective equipment.

Additional information

No further relevant information available.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Avoid formation of dust.

Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up:

Avoid formation of dust. Protective work clothing Vacuuming or wet sweeping may be used to avoid dust dispersal.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Prevent formation of dust.

Fit dust covers to mixers.

(Cont. from page 2)

Page 3/9

Version Number 1.1

Trade name: Monokote Z-146PC

Prior to welding or cutting, Monokote must be removed from steel surfaces likely to be exposed to excessive heating. Danger of wet slippery surfaces.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: Keep respirator available.

Further information about storage conditions: Store in cool, dry conditions in well sealed original receptacles.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters					
Components	Components with limit values that require monitoring at the workplace:				
	ortland cement				
	Long-term value: 1 mg/m ³ respirable				
EV (Canada)	Long-term value: 10(D) mg/m ³ total dust				
PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m ³ *total dust **respirable fraction				
REL (USA)	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction				
TLV (USA)	Long-term value: 1* mg/m ³ E; *as respirable fraction, A4				
14808-60-7 Q	Quartz (SiO2)				
EL (Canada)	Long-term value: 0.025 mg/m ³ ACGIH A2; IARC 1				
EV (Canada)	Long-term value: 0.10* mg/m ³ *respirable fraction				
PEL (USA)	Long-term value: 0.05* mg/m ³ *resp. dust; 30mg/m3/%SiO2+2				
REL (USA)	Long-term value: 0.05* mg/m ³ *respirable dust				
TLV (USA)	Long-term value: 0.025* mg/m ³ *respirable particulate matter, A2				

Additional information:

The lists that were valid during the creation were used as basis. Canadian employers must consult the exposure limits in their province.

Work/Hygienic Practices: The usual precautionary measures for handling chemicals should be followed.

Exposure controls

Personal protective equipment:

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

Breathing equipment:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Reviewed on 05/25/2023

(Cont. from page 3)

Version Number 1.1

Trade name: Monokote Z-146PC

Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Nitrile rubber. Rubber or other impervious gloves should be worn to prevent skin contact.

Eye protection:



Safety glasses with side shield protection.

Tightly sealed goggles

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

I V		
General Information Appearance: Form: Color: Odor: Odor threshold:	Powder According to product specification Characteristic Not determined.	
pH-value (~):	Not applicable.	
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	Undetermined. Undetermined. Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:	Undetermined.	
Decomposition temperature: Auto igniting: Danger of explosion:	Not determined. Not determined. Product does not present an explosion hazard.	
Explosion limits: Lower: Upper:	Not determined. Not determined.	
Vapor pressure: Density: (~) at 20 °C (68 °F) Relative density Vapor density	Not applicable. 21 g/cm ³ (175.2 lbs/gal) Not determined. Not determined.	
Solubility in / Miscibility with Water:	Insoluble.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity: Dynamic: Kinematic: Molecular weight	Not applicable. Not applicable. Not determined.	
		(Cont. on page
		USG

(Cont. from page 4)

Version Number 1.1

Reviewed on 05/25/2023

Trade name: Monokote Z-146PC

(Cont. from page 5)

Page 6/9

Other information

No further relevant information available.

10 Stability and reactivity

Reactivity

Stable under normal conditions. No further relevant information available.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions

No dangerous reactions known. No further relevant information available.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products:

Carbon monoxide and carbon dioxide Cutting or welding may generate Sulfur dioxide.

11 Toxicological information

Information on toxicological effects

Acute toxicity:	
LD/LC50 values relevant for classification:	
13780-06-8 Calcium nitrite	
Oral LD50 283 mg/kg (rat)	
Primary irritant effect:	
on the skin: Causes severe skin burns and eye damage.	
on the eye: Causes serious eye damage.	
inhalation: Causes damage to organs. May cause respiratory irritation.	
Sensitization: May cause an allergic skin reaction.	
Additional toxicological information: Prolonged exposure may cause risk of lung disease (i.e. silicosis and/or lung cancer).	
Carcinogenic categories	
IARC (International Agency for Research on Cancer) Human Carcinogenicity: Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable	
14808-60-7 Quartz (SiO2)	1
9003-53-6 Expanded Polystyrene	3
NTP (National Toxicology Program) K–Known to be carcinogenic, R–May reasonably be anticipated to be carcinogenic	
14808-60-7 Quartz (SiO2)	K
OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients are listed.	
	(Cont. on page 7)

Version Number 1.1

Reviewed on 05/25/2023

Trade name: Monokote Z-146PC

(Cont. from page 6)

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

13 Disposal considerations

Disposal methods:

Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Dispose of contents/container in accordance with local/regional/national/international regulations.

Transport information		
UN-Number DOT, IMDG, IATA	Not applicable.	
UN proper shipping name DOT, IMDG, IATA	Not applicable.	
Transport hazard class(es)		
DOT, IMDG, IATA Class	Not applicable.	
Packing group DOT, IMDG, IATA	Not applicable.	
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport/Additional informati	on: Not classified as a dangerous good for transport by road, rail or air.	
DOT Remarks:	Not Regulated.	
		(Cont. on p

USGHS

Version Number 1.1

Reviewed on 05/25/2023

Page 8/9

(Cont. from page 7)

Trade name: *Monokote Z-146PC*

Note:

Not Regulated for Canada TDG.

Regulatory information	
Other regulations in domestic and foreign countries	
SARA (Superfund Amendments and Reauthorization Act)	
Section 302/304 (extremely hazardous substances): None of the ingredients is listed.	
Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):	
None of the ingredients is listed.	
SARA Section 312/Tier I & II Hazard Categories: Health Hazard - Carcinogenicity	
Health Hazard - Skin Corrosion or Irritation	
Health Hazard - Respiratory or Skin Sensitization	
Health Hazard - Specific target organ toxicity (single or repeated exposure)	
North America Chemical Inventory Status	
TSCA (Toxic Substances Control Act - United States):	
All ingredients are listed or exempt from listing unless otherwise noted below.	
CEPA (Canadian DSL):	
All ingredients are listed or exempt from listing unless otherwise noted below.	
Right to Know Ingredient Disclosure:	
1318-16-7 Aluminium ore	
8031-18-3 Clay 65996-61-4 Cellulosic Fiber	
03990-01-4 Cellulosic Fiber	
California Proposition 65: (Substances <0.1% unless noted in Section 3)	
Chemicals known to cause cancer:	
Quartz (SiO2)	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
Carcinogenicity Categories	
TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)	
Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable	
Aluminium ore	
Quartz (SiO2)	
NIOSH-Cancer (National Institute for Occupational Safety and Health)	
14808-60-7 Quartz (SiO2)	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: GCP Applied Technologies 2325 Lakeview Pkwy

Version Number 1.1

Trade name: Monokote Z-146PC

Alpharetta GA, 30009 USA USA: +1-617-876-1400 (24 hours) +1-800-354-5414

Contact:

The first date of preparation 08/08/2016

Number of revision times and the latest revision date $1.1\,/\,05/25/2023$

.

Reviewed on 05/25/2023

(Cont. from page 8)

USGHS