

Printing date 05/25/2023

Safety Data Sheet

Version Number 1.0

Reviewed on 05/25/2023

Page 1/9

1 Identification

Product identifier

Trade name: Monokote Z-146T

SDS ID Number: 2693

Relevant identified uses of the substance or mixture, and uses advised against: Specialty construction product. Not intended for other uses.

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GCP Applied Technologies 2325 Lakeview Pkwy Alpharetta GA 30009 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

Information department:

Environmental Health & Safety USA: +1-617-876-1400 (24 hours) +1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

May cause cancer.

May cause respiratory irritation.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

Hazard pictograms



Danger Hazard statements Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation. Precautionary statements Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting.

Version Number 1.0

Trade name: Monokote Z-146T

Printing date 05/25/2023

Reviewed on 05/25/2023

	(G) (G) ()
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national/international regulations.	(Cont. from page 1)
Additional information: Avoid breathing dust.	
Hazard description: NFPA ratings (scale 0 - 4)	
$\begin{array}{c} 0 \\ 3 \\ 0 \\ 0 \end{array} \begin{array}{l} \text{Health} = 3 \\ \text{Fire} = 0 \\ \text{Reactivity} = 0 \end{array}$	
HMIS-ratings (scale 0 - 4)	
HEALTH*3FIRE0Flammability = 0REACTIVITY 0Reactivity = 0	
Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable. vPvB: Not applicable.	
2 Composition /information on ingradiants	

3 Composition/information on ingredients

Chemical characterization: Mixture

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

65997-15-1	Portland cement	30-<40%
14808-60-7	Quartz (SiO2)	1-<3%
13780-06-8	Calcium nitrite	0.1-<1%

4 First-aid measures

Description of first aid measures

General information: Get medical advice/attention if you feel unwell.

After inhalation:

If breathing has stopped, give artificial respiration then oxygen if needed.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

Seek immediate medical advice.

After eye contact:

Rinse cautiously with water for several minutes. Seek immediate medical advice.

Version Number 1.0

Trade name: Monokote Z-146T

Reviewed on 05/25/2023

(Cont. from page 2)

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed Allergic reactions

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: The product will not burn.

Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.

Advice for firefighters

Protective equipment: Wear personal protective equipment.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Avoid formation of dust.

Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up:

Avoid formation of dust. Protective work clothing Vacuuming or wet sweeping may be used to avoid dust dispersal.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Prevent formation of dust.

Fit dust covers to mixers.

Prior to welding or cutting, Monokote must be removed from steel surfaces likely to be exposed to excessive heating. Danger of wet slippery surfaces.

Information about protection against explosions and fires: No special measures required.

(Cont. on page 4)

Version Number 1.0

Trade name: Monokote Z-146T

(Cont. from page 3)

Page 4/9

Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: Keep respirator available.

Further information about storage conditions: Store in cool, dry conditions in well sealed original receptacles.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control pa	Control parameters			
Components with limit values that require monitoring at the workplace:				
65997-15-1 Portland cement				
EL (Canada)	Long-term value: 1 mg/m ³ respirable			
EV (Canada)	Long-term value: 10(D) mg/m ³ total dust			
PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m ³ *total dust **respirable fraction			
REL (USA)	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction			
TLV (USA)	Long-term value: 1* mg/m ³ E; *as respirable fraction, A4			
14808-60-7 Q	Quartz (SiO2)			
EL (Canada)	Long-term value: 0.025 mg/m ³ ACGIH A2; IARC 1			
EV (Canada)	Long-term value: 0.10* mg/m ³ *respirable fraction			
PEL (USA)	Long-term value: 0.05* mg/m ³ *resp. dust; 30mg/m3/%SiO2+2			
REL (USA)	Long-term value: 0.05* mg/m ³ *respirable dust			
TLV (USA)	Long-term value: 0.025* mg/m ³ *respirable particulate matter, A2			
A 3 3*4*				

Additional information:

The lists that were valid during the creation were used as basis. Canadian employers must consult the exposure limits in their province. **Work/Hygienic Practices:** The usual precautionary measures for handling chemicals should be followed.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed. The usual precautionary measures for handling chemicals should be followed.

Breathing equipment:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

(Cont. on page 5)

Version Number 1.0

Trade name: Monokote Z-146T

Material of gloves

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Nitrile rubber.

Rubber or other impervious gloves should be worn to prevent skin contact.

Eye protection:



Safety glasses with side shield protection.

Tightly sealed goggles

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties			
General Information Appearance: Form: Color: Odor: Odor threshold:	Powder According to product specification Characteristic Not determined.		
pH-value (~):	Not applicable.		
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	Undetermined. Undetermined. Not applicable.		
Flammability (solid, gaseous):	Not determined.		
Ignition temperature:	Undetermined.		
Decomposition temperature: Auto igniting: Danger of explosion:	Not determined. Not determined. Product does not present an explosion hazard.		
Explosion limits: Lower: Upper:	Not determined. Not determined.		
Vapor pressure: Density: (~) at 20 °C (68 °F) Vapor density	Not applicable. 21 g/cm ³ (175.2 lbs/gal) Not determined.		
Solubility in / Miscibility with Water:	Insoluble.		
Partition coefficient (n-octanol/wat	er): Not determined.		
Viscosity: Dynamic: Kinematic: Molecular weight	Not applicable. Not applicable. Not determined.		
Other information	No further relevant information available.		

(Cont. on page 6)

Reviewed on 05/25/2023

(Cont. from page 4)

Version Number 1.0

Trade name: Monokote Z-146T

10 Stability and reactivity

Reactivity

Stable under normal conditions. No further relevant information available.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions

No dangerous reactions known. No further relevant information available.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products:

Carbon monoxide and carbon dioxide Cutting or welding may generate Sulfur dioxide.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values relevant for classification:

13780-06-8 Calcium nitrite

Oral LD50 283 mg/kg (rat)

Primary irritant effect:

on the skin: Causes severe skin burns and eye damage.

on the eye: Causes serious eye damage.

inhalation: May cause respiratory irritation.

Sensitization: May cause an allergic skin reaction.

Additional toxicological information:

Prolonged exposure may cause risk of lung disease (i.e. silicosis and/or lung cancer).

Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity:

Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

14808-60-7 Quartz (SiO2)

9003-53-6 Expanded Polystyrene

NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

14808-60-7 Quartz (SiO2)

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Reviewed on 05/25/2023

1

3

Κ

(Cont. from page 5)

Version Number 1.0

Printing date 05/25/2023

Trade name: Monokote Z-146T

(Cont. from page 6)

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

13 Disposal considerations

Disposal methods:

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Dispose of contents/container in accordance with local/regional/national/international regulations.

* -	
UN-Number DOT, IMDG, IATA	Not applicable.
UN proper shipping name DOT, IMDG, IATA	Not applicable.
Transport hazard class(es)	
DOT, IMDG, IATA Class	Not applicable.
Packing group DOT, IMDG, IATA	Not applicable.
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport/Additional informati	ion: Not classified as a dangerous good for transport by road, rail or air.
DOT	
Remarks:	Not Regulated. Not Regulated for Canada TDG.

(Cont. on page 8)

*

Version Number 1.0

Reviewed on 05/25/2023

Trade name: Monokote Z-146T

(Cont. from page 7)

15 Described and information
15 Regulatory information
Other regulations in domestic and foreign countries
SARA (Superfund Amendments and Reauthorization Act)
Section 302/304 (extremely hazardous substances):
None of the ingredients is listed.
Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):
None of the ingredients is listed.
SARA Section 312/Tier I & II Hazard Categories: Health Hazard - Carcinogenicity
Health Hazard - Skin Corrosion or Irritation
Health Hazard - Respiratory or Skin Sensitization
Health Hazard - Specific target organ toxicity (single or repeated exposure)
North America Chemical Inventory Status
TSCA (Toxic Substances Control Act - United States):
All ingredients are listed or exempt from listing unless otherwise noted below.
CEPA (Canadian DSL):
All ingredients are listed or exempt from listing unless otherwise noted below.
Right to Know Ingredient Disclosure:
1318-16-7 Aluminium ore
8031-18-3 Clay
65996-61-4 Cellulosic Fiber
California Proposition 65: (Substances <0.1% unless noted in Section 3)
Chemicals known to cause cancer:
Quartz (SiO2)
Chemicals known to cause reproductive toxicity for females:
None of the ingredients are listed.
Chemicals known to cause reproductive toxicity for males:
None of the ingredients are listed.
Chemicals known to cause developmental toxicity:
None of the ingredients are listed.
Carcinogenicity Categories
TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)
Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable
Aluminium ore A4
Quartz (SiO2) A2
NIOSH-Cancer (National Institute for Occupational Safety and Health)
14808-60-7 Quartz (SiO2)
Volatile Organic Compounds (VOC) reported per the Emission Standards. 0 g/L

16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS:

GCP Applied Technologies 2325 Lakeview Pkwy Alpharetta GA, 30009 USA USA: +1-617-876-1400 (24 hours) +1-800-354-5414

(Cont. on page 9) USGHS

Version Number 1.0

Printing date 05/25/2023

Trade name: *Monokote Z-146T*

(Cont. from page 8)

USGHS

Reviewed on 05/25/2023

Contact:

The first date of preparation 05/14/2023

Number of revision times and the latest revision date $1.0\ /\ 05/25/2023$